

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016		
SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier				
Edmac Item Code	3004006163			
1.2 Relevant identified uses of the	e substance or mixture and uses adv	ised against		
Use of the Substance/Mixture Uses advised against	 Compressor oil. This product must not be used in ap listed in Section 1 without first seeki supplier. 			
1.3 Details of the supplier of the s	safety data sheet			
Supplier	Edmac Europe N			
	Terbekehofdreef 54 2610 Wilrijk (Belgium)			
Telephone Telefax Email Contact for Safety Data Sheet	: +44 (0)333 566 1000 : If you have any enquiries about the o please email sales.edmac@edmac.eu			

1.4 Emergency telephone number

+32 (0)3 750 80 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: No H	No Hazard Symbol required	
Signal word	: No s	ignal word	
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard	

Regulation 1907/2006/EC

Version 1.0	Revision Date	02.02.2016	Print Date 03.02.2016
		according to CLP criteria HEALTH HAZARDS: Not classified as a healt criteria. ENVIRONMENTAL HAZ Not classified as enviror according to CLP criteria	h hazard under CLP ZARDS: mental hazard
Precautionary statements	: Prevention: Response:	No precautionary phrase	
	Storage: Disposal:	No precautionary phrase No precautionary phrase No precautionary phrase	es.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

: * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	[%]
	Registration	(EC) No	
	number	1272/2008)	
Interchangeable low		Asp. Tox.1; H304	0 - 90
viscosity base oil			

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
(<20,5 cSt @40°C) *		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Not expected to be a health hazard when used under normal conditions.		
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.		
In case of eye contact	:	Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.		
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms and	d e	ffects, both acute and delayed		
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate m	ec	lical attention and special treatment needed		
Treatment	:	Notes to doctor/physician: Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	 Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	: Do not use water in a jet.
5.2 Special hazards arising from	the substance or mixture
Specific hazards during	: Hazardous combustion products may include: A complex

Specific hazards during: Hazardous combustion products may include: A complexfirefightingmixture of airborne solid and liquid particulates and gases

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
	(smoke). Carbon monoxide may be e combustion occurs. Unidentified orga compounds.	
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to	
Specific extinguishing methods	relevant Standards (e.g. Europe: ENUse extinguishing measures that are circumstances and the surrounding e	appropriate to local

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.	Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.
-----------------------------------	----------------------	---

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up		Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	--	--

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016	
SECTION 7: Handling and st	torage		
General Precautions	vapours, mists or aerosols. Use the information in this data shee assessment of local circumstances t	Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of	
7.1 Precautions for safe handli	ng		
Advice on safe handling	 Avoid prolonged or repeated contact Avoid inhaling vapour and/or mists. When handling product in drums, sa worn and proper handling equipmen Properly dispose of any contaminate materials in order to prevent fires. 	fety footwear should be t should be used.	
Product Transfer	: This material has the potential to be Proper grounding and bonding proce during all bulk transfer operations.		
7.2 Conditions for safe storage	e, including any incompatibilities		
Other data	: Keep container tightly closed and in place. Use properly labeled and clos		
	Store at ambient temperature.		
	Refer to section 15 for any additiona covering the packaging and storage		
	The storage of this product may be s Pollution (Oil Storage) (England) Re guidance may be obtained from the agency office.	gulations. Further	
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: PVC.	container linings, use mild	
Container Advice	: Polyethylene containers should not the temperatures because of possible rises and the temperatures because and temperatures because		
7.3 Specific end use(s)			
Specific use(s)	: Not applicable		

Regulation 1907/2006/EC

Version 1.0

Revision Date 02.02.2016

Print Date 03.02.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016			
Retain drain downs in sealed sto Always observe good personal l and before eating, drinking, and to remove contaminants. Disca Practice good housekeeping.	after handling the material and protective equipment				
Personal protective equipmen	Personal protective equipment The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.				
Personal protective equipment (PPE suppliers.	(PPE) should meet recommended national s	standards. Check with			
Eye protection : If material is handled such that it could be splashed protective eyewear is recommended. Approved to EU Standard EN166.					
Hand protection					
Remarks	: Where hand contact with the product ma gloves approved to relevant standards (e US: F739) made from the following mate suitable chemical protection. PVC, neopr gloves Suitability and durability of a glove usage, e.g. frequency and duration of co resistance of glove material, dexterity. Al from glove suppliers. Contaminated glove replaced. Personal hygiene is a key elem care. Gloves must only be worn on clean gloves, hands should be washed and drive Application of a non-perfumed moisturize	e.g. Europe: EN374, rials may provide rene or nitrile rubber e is dependent on ntact, chemical ways seek advice es should be nent of effective hand hands. After using ed thoroughly.			
	For continuous contact we recommend g breakthrough time of more than 240 minutes for > 480 minutes where suitable gloves short-term/splash protection we recommend recognize that suitable gloves offering the may not be available and in this case a lot time maybe acceptable so long as appro- and replacement regimes are followed. Of a good predictor of glove resistance to a dependent on the exact composition of the Glove thickness should be typically great depending on the glove make and model	utes with preference can be identified. For end the same, but is level of protection ower breakthrough priate maintenance Glove thickness is not chemical as it is ne glove material. ter than 0.35 mm			
Skin and body protection	 Skin protection is not ordinarily required l work clothes. It is good practice to wear chemical resis 	-			
Respiratory protection	: No respiratory protection is ordinarily req	uired under normal			

Regulation 1907/2006/EC

/ersion 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
	conditions of use. In accordance with good industrial hy precautions should be taken to avoid If engineering controls do not mainta concentrations to a level which is ad health, select respiratory protection of specific conditions of use and meetir Check with respiratory protective equ Where air-filtering respirators are su appropriate combination of mask and Select a filter suitable for combined p and vapours [Type A/Type P boiling meeting EN14387 and EN143.	d breathing of material. ain airborne equate to protect worker equipment suitable for the ng relevant legislation. uipment suppliers. itable, select an d filter. particulate/organic gases
Thermal hazards	: Not applicable	
Hygiene measures	: Exposure to this product should be r reasonably practicable. Reference shealth and Safety Executive's public Essentials".	hould be made to the
Environmental exposure con	trols	
General advice	 Take appropriate measures to fulfill trelevant environmental protection leg contamination of the environment by Chapter 6. If necessary, prevent und being discharged to waste water. Wa treated in a municipal or industrial wa before discharge to surface water. Local guidelines on emission limits for must be observed for the discharge of vapour. 	gislation. Avoid following advice given in dissolved material from aste water should be aste water treatment plant or volatile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	clear
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	Method: Unspecified

sion 1.0	Revision Date 02.02.2016	Print Date 03.02.20
Initial boiling point and boiling range	: > 280 °Cestimated value(s)	
Flash point	: 230 °C Method: ASTM D92	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.868 (15 °C)	
Density	: 868 kg/m3 (15.0 °C) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on sir	milar products)
Auto-ignition temperature	: > 320 °C	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 46 mm2/s (40.0 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Other information		
Conductivity	: This material is not expected to be a	static accumulator.
Decomposition temperature	: Data not available	

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
SECTION 10: Stability and re	activity	
10.1 Reactivity		
The product does not pose a sub-paragraph.	ny further reactivity hazards in addition to th	nose listed in the following
10.2 Chemical stability		
Stable. No hazardous reaction is exp	pected when handled and stored according	to provisions
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Reacts with strong oxidising agents.	
10.4 Conditions to avoid		
Conditions to avoid	: Extremes of temperature and direct si	unlight.
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: Hazardous decomposition products a during normal storage.	re not expected to form

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute inhalation toxicity	:	Remarks: Not considered to be an inhalation hazard under normal conditions of use.

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxicity:	

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification	
Highly refined mineral oil	No carcinogenicity classification.	

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

Regulation 1907/2006/EC

Version 1.0

Revision Date 02.02.2016

Print Date 03.02.2016

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR propertiesGerm cell mutagenicity- Assessment: This product does not meet the criteria for classification in categories 1A/1B.				
Carcinogenicity - Assessment	 This product does not meet the criteria for classification in categories 1A/1B. 			
Reproductive toxicity - Assessment	This product does not meet the criteria for classification in categories 1A/1B.			

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components
12/18	

Regulation 1907/2006/EC

Version 1.0		Revision Date 02.02.2016	Print Date 03.02.2016
Product:		and the ecotoxicology of similar products Unless indicated otherwise, the data pres representative of the product as a whole, individual component(s).(LL/EL/IL50 exp nominal amount of product required to pr extract).	sented is , rather than for ressed as the
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non LL/EL/IL50 > 100 mg/l	toxic:
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non LL/EL/IL50 > 100 mg/l	toxic:
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non LL/EL/IL50 > 100 mg/l	toxic:
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available	
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available	
Toxicity to microorganisms	:		
(Acute toxicity)		Remarks: Data not available	

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: Expected to be not readily biodegradable., Major
	constituents are expected to be inherently biodegradable, but
	contains components that may persist in the environment.

12.3 Bioaccumulative potential

Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: Pow: > 6Remarks: (based on information on similar products)
12.4 Mobility in soil	
Product:	
Mobility	 Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.

12.5 Results of PBT and vPvB assessment

Product:

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
Assessment	: This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.	
12.6 Other adverse effects		
Product:		
Additional ecological information	 Product is a mixture of non-volatile correspected to be released to air in any s Not expected to have ozone depletion photochemical ozone creation potentia potential. Poorly soluble mixture., May cause phorganisms. Mineral oil is not expected to cause an aquatic organisms at concentrations lease 	ignificant quantities., potential, al or global warming ysical fouling of aquatic y chronic effects to

SECTION 13: Disposal considerations

13.1	Waste treatment methods		
	Product	:	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
			Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.
	Contaminated packaging	:	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
	Local legislation Waste catalogue	:	EU Waste Disposal Code (EWC):
	Waste Code	:	13 02 05*
	Remarks	:	Classification of waste is always the responsibility of the end user.

SECTION 14: Transport information

14.1 UN number		
ADR RID	Not regulated as a dangerous goodNot regulated as a dangerous good	

14 / 18

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.201
		- Ant Date 00.02.201
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 Proper shipping name		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.5 Environmental hazards		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
14.6 Special precautions for u	ser	
Remarks	: Special Precautions: Refer to Chapter 7 for special precautions which a user nee needs to comply with in connection with	ds to be aware of or
14.7 Transport in bulk accordi	ng to Annex II of MARPOL 73/78 and the IBC	Code
Pollution category	: Not applicable	
Ship type	: Not applicable	
Product name	: Not applicable	
Special precautions	: Not applicable	
Additional Information	: MARPOL Annex 1 rules apply for bulk sl	nipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances s (Annex XIV)	ubject to authorisation	: Product is not subject to Authorisation under REACH.
Volatile organic compounds	: 0%	
Other regulations	Safety at Work etc. A	ction Act 1990 (as amended). Health and ct 1974. Consumers Protection Act 1987. and Control Act 1999. Environment Act

Regulation 1907/2006/EC

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
	1995. Factories Act 1961. The Carri and Use of Transportable Pressure Regulations 2011. Chemicals (Haza Packaging for Supply) Regulations 2 Substances Hazardous to Health Re amended). Merchant Shipping (Dan Pollutants) Regulations 1997. Repor and Dangerous Occurrences Regula Personal Protective Equipment Reg Protective Equipment at Work Regu Waste (England and Wales) Regula Control of Major Accident Hazards F amended). Renewable Transport Fu (as amended). Energy Act 2011. En (England and Wales) Regulations 20 (England and Wales) Regulations 21 Planning (Hazardous Substances) A regulations. The Environmental Prot Ozone-Depleting Substances) Regu	Equipment (Amendment) and Information and 2009. Control of egulations 2002 (as gerous Goods and Marine rting of Injuries, Diseases ations 1995 (as amended). ulations 2002. Personal lations 1992. Hazardous tions 2005(as amended). Regulations 1999 (as uel Obligations Order 2007 invironmental Permitting 010 (as amended). Waste 011 (as amended). Act 1990 and associated tection (Controls on

The components of this product are reported in the following inventories:

EINECS/ELINCS/EC	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H304 Ma

May be fatal if swallowed and enters airways.

Full text of other abbreviations

Asp. Tox. As	piration hazard
Abbreviations and Acronym	 The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
	ACGIH = American Conference of Governmental Industrial Hygienists
	ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road
	AICS = Australian Inventory of Chemical Substances
	ASTM = American Society for Testing and Materials BEL = Biological exposure limits
	BTEX = Benzene, Toluene, Ethylbenzene, Xylenes

Version 1.0	Revision Date 02.02.2016	Print Date 03.02.2016
	CAS = Chemical Abstracts Service	
	CEFIC = European Chemical Industr	ry Council
	CLP = Classification Packaging and	
	COC = Cleveland Open-Cup	-
	DIN = Deutsches Institut fur Normun	
	DMEL = Derived Minimal Effect Leve	el
	DNEL = Derived No Effect Level	
	DSL = Canada Domestic Substance	List
	EC = European Commission	
	EC50 = Effective Concentration fifty	
	ECETOC = European Center on Ecc	proxicology and
	Toxicology Of Chemicals	
	ECHA = European Chemicals Agence	
	EINECS = The European Inventory of Chemical Substances	or Existing Commercial
	EL50 = Effective Loading fifty	
	ENCS = Japanese Existing and New	Chemical Substances
	Inventory	
	EWC = European Waste Code	
	GHS = Globally Harmonised System	of Classification and
	Labelling of Chemicals	
	IARC = International Agency for Res	earch on Cancer
	IATA = International Air Transport As	
	IC50 = Inhibitory Concentration fifty	
	IL50 = Inhibitory Level fifty	
	IMDG = International Maritime Dang	erous Goods
	INV = Chinese Chemicals Inventory	
	IP346 = Institute of Petroleum test	
	determination of polycyclic aromatics	
	KECI = Korea Existing Chemicals In	ventory
	LC50 = Lethal Concentration fifty	
	LD50 = Lethal Dose fifty per cent.	ooding/Inhibiton/looding
	LL/EL/IL = Lethal Loading/Effective L LL50 = Lethal Loading fifty	
	MARPOL = International Convention	for the Prevention of
	Pollution From Ships	
	NOEC/NOEL = No Observed Effect	Concentration / No
	Observed Effect Level	
	OE_HPV = Occupational Exposure -	High Production Volume
	PBT = Persistent, Bioaccumulative a	
	PICCS = Philippine Inventory of Che	
	Substances	
	PNEC = Predicted No Effect Concer	ntration
	REACH = Registration Evaluation Ar	nd Authorisation Of
	Chemicals	
	RID = Regulations Relating to Intern	ational Carriage of
	Dangerous Goods by Rail	
	SKIN_DES = Skin Designation	
	STEL = Short term exposure limit	
	TRA = Targeted Risk Assessment	
	TSCA = US Toxic Substances Contr	TOI ACT
	TWA = Time-Weighted Average	accumulativa
	vPvB = very Persistent and very Bioa	accumulative

Regulation 1907/2006/EC

rsion 1.0	Revision Date 02.02.2016	Print Date 03.02.2010
Further information		
Other information	: No Exposure Scenario annex is attac sheet. It is a non-classified mixture of substances as detailed in Section 3; Exposure Scenarios for the hazardor have been integrated into the core so	ontaining hazardous relevant information from us substances contained
	A vertical bar () in the left margin inc from the previous version.	dicates an amendment

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.